

Helping shape **what's next**
in medical devices and packaging.

Eastman™ medical polymers




When medical science meets polymer science. To benefit you.

The medical industry is continually pursuing ways to provide products that are safe, reliable, and easy to use. The marriage of application knowledge and material knowledge can advance this pursuit in many market-changing ways.

Eastman Chemical Company has been a worldwide supplier of a wide range of materials for the medical market for more than 70 years, while consistently raising standards for quality, patient safety, customer service, and sustainability.

Today, as always, Eastman is committed to the long-term needs of the medical industry and is a reliable provider of innovative medical grade polymers and technical support.

- Our “total-solutions” approach to the medical industry delivers outstanding technical support in design, processing, and secondary operations.
- Today’s expanded portfolio of Eastman™ medical polymers makes Eastman better prepared than ever to help you shape what’s next.



Eastman can meet your needs

Eastman is well in tune with the latest industry regulations and works with customers and independent design firms to stay in step with—and often a step ahead of—our customers' application needs. As a result, Eastman™ resins are providing solutions and safer alternatives for a wide range of medical devices, healthcare products, and packaging applications, including

- Nonimplantable medical devices
- Blood therapy components
- Renal therapy devices
- Portable diagnostic equipment
- Heart/lung bypass system
- Needle-free injection system
- Infusion systems
- IV components
- Needleless access connector
- Tubing

- Drug delivery devices, including syringes insulin pens, and inhalers
- Minimally invasive surgical devices, such as cannulas and trocar systems
- Instruments
- Connectors, manifolds, luers, and catheters for fluid administration
- Fluid and respiratory canisters
- Healthcare supplies
- Labware
- Pharmaceutical packaging
- Rigid medical packaging
- Flexible packaging

Additional information on the advantages of specific Eastman™ medical polymers, as well as how we can help bring your innovative products to market quickly and efficiently is discussed on the following pages.

Eastman™ medical polymers include a range of BPA-free materials to meet customers' needs for toughness, chemical resistance, sterilization, processability, and performance, including

Eastman Tritan™ copolyester

Eastar™ copolyesters

DuraStar™ polymers

Ecdel™ elastomers

Tenite™ cellulotics

Eastman Provista™ copolymer



When you collaborate to innovate.

Transforming an innovative concept into a successful, functional part that meets marketplace demands requires collaboration of many disciplines, including design engineers, material suppliers, equipment manufacturers (OEMs), and processors. Selecting the right material—and selecting it early in the development process—can be critical to the efficiency and long-term success of any go-to-market strategy.

A collaborative approach ensures all stakeholders share expertise, understand deadlines, and make decisions to help create durable, reliable medical devices that meet marketplace demand and increase patient safety and comfort.

The reusable Double Dosing Cup is a blueprint for success that can come from early collaboration with Eastman.

In addition to demonstrating a wide breadth of functional and processing possibilities for Eastman Tritan™ copolyester in the medical marketplace, the Double Dosing Cup is simply a lot of fun. The attractive and engaging prototype design, developed in collaboration with DD Studios, demonstrates the attributes of toughness, chemical resistance, vibrant clarity, and ability to be molded into intricate and complex forms. Male–female ellipses in the end caps demonstrate the remarkable cold-swaging capability of Tritan.



Sustainable innovation

Eastman strives to create solutions that offer more value with less environmental impact. Eastman™ medical polymers include environmentally responsible copolyesters and cellulose derivatives that are free of *ortho*-phthalate plasticizers, bisphenol A (BPA), and halogens. Many have been GREENGUARD Indoor Air Quality Certified®, and the outstanding toughness of these materials can facilitate designs that reduce weight and save energy.



Eastman brings more to the table

Eastman brings industry-leading knowledge of copolyesters and other polymers, in addition to knowledge of molding, thermoforming, extrusion, processing, marketing, and design capabilities. We also understand the performance and regulatory demands of the marketplace. Eastman can help OEMs understand how our materials satisfy their needs through

- Durability
- Chemical resistance
- Clarity
- Color stability
- Temperature resistance
- Ease of processing
- Secondary operations



The following table shows some of the Eastman™ medical polymers that deliver these desired properties to your products. The following pages include information about how these polymers can help you produce high-quality, functional, and aesthetically pleasing medical products.

Comparison of medical grade polymers

Material	Desired property					Comments
	Higher heat resistance	Toughness	Lipid resistance	Solvent bonding	Faster injection molding cycles	
Eastman Tritan™ copolyester	●	●	●	●	●	Superior clarity after sterilization; BPA free; hydrolytic stability
Eastar™ copolyesters	●	●	●	●	●	Superior clarity after sterilization; BPA free
DuraStar™ polymers	●	●	●	●	●	BPA free
Ecdel™ elastomers	●	●	●	●	○	—
Tenite™ cellulosics	●	●	●	●	●	BPA free
Eastman Provista™ copolymer	●	●	●	●	●	—
Polycarbonate ^a	●	●	●	●	●	PC typically requires annealing at faster mold cycles to improve chemical resistance
Impact modified acrylic ^b	●	○	●	●	●	BPA free

● Best ● Good ● Average ● Fair ○ Poor

^aPC represents general medical grade PC Makrolon™ 2458.

^bToughened acrylic represents general medical grade acrylic Cyrolite™ GS-90.

Eastman Tritan™ copolyester

Clear copolyester Redefined.

Eastman Tritan™ copolyester is the latest in a long line of polymer solutions for the medical industry. Its unique combination of properties allows Tritan to satisfy a set of customer needs that previously have not been met by other polymers.

Like other Eastman™ medical polymers, this next-generation copolyester provides outstanding lipid and chemical resistance, and Eastman Tritan™ copolyester is not manufactured with bisphenol A (BPA), *ortho*-phthalate plasticizers, or halogens.



In addition, Eastman Tritan™ copolyester offers greater toughness, heat resistance, and processability than other copolyesters. Tritan delivers outstanding performance for clear and opaque device or equipment applications and for rigid medical packaging. It is ideal for applications that demand

- Long-term toughness/product protection
- Superior chemical resistance (including lipids, IPA, disinfecting agents, and bonding solvents)
- Excellent clarity
- Retention of clarity, color stability, and functional integrity following sterilization by
 - Gamma irradiation
 - Electron beam (e-beam) irradiation

Explore a wide range of applications

Devices and equipment

- IV-system components
- Blood therapy devices
- Renal therapy devices
- Patient monitoring systems
- Infusion and feeding pumps
- Drug delivery systems and devices
- Blood glucose meters and insulin pens
- Pulse oximeters and spirometer housings
- Various clear and opaque parts for instruments and monitoring equipment
- Excellent toughness increases durability and reduces risk of part failure.
- Several medical grades available—including mold release and high-flow—to fit processing requirements

Rigid medical packaging

- Extruded products deliver best-in-class toughness and excellent heat resistance.
- Allows more rapid accelerated-aging protocols and increased shelf life
- Excellent toughness provides an opportunity to redesign packaging to reduce thickness, thereby reducing source material, shipping weight, and energy use.

For more information about Eastman Tritan™ copolyester, please visit www.eastman.com/tritan.



Estar™ copolyesters

Your confidence Earned.

Estar™ copolyesters have a long tradition as the materials of choice in the medical industry. Eastman offers a wide range of grades of Estar to match various biological/regulatory, sterilization, and disposal requirements.

Estar™ copolyesters are made without BPA, *ortho*-phthalates, or halogens; Estar MN004 and MN006 are GREENGUARD Indoor Air Quality Certified®.

The outstanding balance of properties provided by Estar™ copolyesters includes

- Exceptional toughness to withstand stress and impact
- Good chemical resistance to withstand attack from a variety of medical solutions, including IPA and lipids
- Superb clarity and high gloss
- Excellent colorability
- Exceptional color stability after gamma and e-beam sterilization
- Ductility and flexibility, allowing snap fit assembly to eliminate costly solvent bonding
- Swageability
- Processability in complex part designs
- Exceptional thermoformability and sealability



Explore a wide range of applications

Devices

- Fluid administration
- Blood-therapy devices and connectors
- Syringe components
- Pump housings
- Drug delivery
- Surgical instruments
- Clamps
- Dialysis components
- Suction and drainage
- Labware
- Several medical grades available—including mold release and high flow—to fit processing requirements

Rigid medical packaging

- Eastar™ copolyester 6763 has been the material of choice for rigid medical packaging for more than 20 years.
- Eastar is easy to extrude, cut, print, and seal.
- Stiffness and strength improve the ability to downgauge materials and increase printing speed.

For more information about Eastar™ copolyesters, visit www.eastman.com.



More Eastman™ medical polymers

Your polymer solutions **Advanced.**

In addition to Eastman Tritan™ copolyester and Eastar™ copolyesters, Eastman offers a variety of resins for selected performance needs and applications.

DuraStar™ polymers

In addition to the environmental advantages of other Eastman™ medical polymers, DuraStar™ polymers have the right mix of properties and processability for injection molding, including

- Sparkling clarity and gloss
- Excellent toughness
- Easy to process and fabricate—dries quickly and flows well
- Excellent chemical resistance
- Good barrier properties

Eastman Provista™ copolymer

Eastman Provista™ copolymer offers a special balance of processing and performance characteristics that make this copolymer well-suited for a wide range of profile configurations and applications. Provista provides excellent toughness, clarity, and gloss in addition to easy processing. It is GREENGUARD Indoor Air Quality Certified®.

Ecdel™ elastomers

When extruded into film or sheet, Ecdel™ elastomers combine the chemical resistance, toughness, and inertness of polyesters over a broad temperature range. Ecdel elastomers are copolyester ethers (COPE) that remain remarkably clear and free of blush or haze during high-temperature use in applications such as

- Intravenous therapy packaging
- Pharmaceutical packaging
- Flexible device packaging

In addition to toughness, clarity, and flexibility without plasticizers, Ecdel is autoclavable and provides outstanding heat sealability and long-term integrity.

Tenite™ cellulosics

In addition to industry-leading chemical resistance, Tenite™ cellulosics provide sparkling clarity and outstanding toughness and color stability following gamma, ethylene oxide (EtO), and e-beam sterilization. Tenite is ideal for IV components, medical tubing, and healthcare supplies.

In keeping with the Eastman tradition of environmental consciousness, Tenite™ cellulosics are made from 100% renewable softwood.

Why wait to collaborate?

Involving Eastman early in the process can help avoid false starts and limit manufacturing disruptions. Our technical services expertise can help ensure manufacturability and proper tooling, processing, testing, and secondary operations. Eastman enjoys the trust of some of the industry's foremost innovators. And we have experience working with customers throughout the value chain who are developing medical devices and packaging on the cutting edge of polymer science.

For more information about Eastman™ medical polymers or how Eastman can help you find the best solutions to deliver performance and peace of mind, visit www.eastman.com/medical or call 1-800-Eastman (1-800-327-8626, ext. 5408).



EASTMAN

Eastman Chemical Company Corporate Headquarters

P.O. Box 431
Kingsport, TN 37662-5280 U.S.A.

Telephone:
U.S.A. and Canada, 800-EASTMAN (800-327-8626)
Other Locations, (1) 423-229-2000
Fax: (1) 423-229-1193

Eastman Chemical Latin America

9155 South Dadeland Blvd.
Suite 1116
Miami, FL 33156 U.S.A.

Telephone: (1) 305-671-2800
Fax: (1) 305-671-2805

Eastman Chemical B.V.

Fascinatio Boulevard 602-614
2909 VA Capelle aan den IJssel
The Netherlands

Telephone: (31) 10 2402 111
Fax: (31) 10 2402 100

Eastman (Shanghai) Chemical Commercial Company, Ltd. Jingan Branch

1206, CITIC Square
No. 1168 Nanjing Road (W)
Shanghai 200041, P.R. China

Telephone: (86) 21 6120-8700
Fax: (86) 21 5213-5255

Eastman Chemical Japan Ltd.

MetLife Aoyama Building 5F
2-11-16 Minami Aoyama
Minato-ku, Tokyo 107-0062 Japan

Telephone: (81) 3-3475-9510
Fax: (81) 3-3475-9515

Eastman Chemical Asia Pacific Pte. Ltd.

#05-04 Winsland House
3 Killiney Road
Singapore 239519

Telephone: (65) 6831-3100
Fax: (65) 6732-4930

www.eastman.com

Material Safety Data Sheets providing safety precautions that should be observed when handling and storing Eastman products are available online or by request. You should obtain and review the available material safety information before handling any of these products. If any materials mentioned are not Eastman products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be observed.

It is the responsibility of the medical device manufacturer ("Manufacturer") to determine the suitability of all component parts and raw materials, including any Eastman product, used in its final product to ensure safety and compliance with requirements of the United States Food and Drug Administration (FDA) or other international regulatory agencies.

Eastman products have not been designed for nor are they promoted for end uses that would be categorized either by the United States FDA or by the International Standards Organization (ISO) as implant devices. Eastman products are not intended for use in the following applications: (1) in any bodily implant applications for greater than 30 days, based on FDA-Modified ISO-10993, Part 1, "Biological Evaluation of Medical Devices" tests (including any cosmetic, reconstructive, or reproductive implant applications); (2) in any cardiac prosthetic device application, regardless of the length of time involved, including, without limitation, pacemaker leads and devices, artificial hearts, heart valves, intra-aortic balloons and control systems, and ventricular bypass assisted devices; or (3) as any critical component in any medical device that supports or sustains human life.

For manufacturers of medical devices, biological evaluation of medical devices is performed to determine the potential toxicity resulting from contact of the component materials of the device with the body. The ranges of tests under FDA-Modified ISO-10993, Part 1, "Biological Evaluation of Medical Devices" include cytotoxicity, sensitization, irritation or intracutaneous reactivity, systemic toxicity (acute), subchronic toxicity (subacute), implantation, and hemocompatibility. For Eastman products offered for the medical market, limited testing information is available on request. The Manufacturer of the medical device is responsible for the biological evaluation of the finished medical device.

The suitability of an Eastman product in a given end-use environment is dependent on various conditions including, without limitation, chemical compatibility, temperature, part design, sterilization method, residual stresses, and external loads. It is the responsibility of the Manufacturer to evaluate its final product under actual end-use requirements and to adequately advise and warn purchasers and users thereof.

DuraStar, Eastar, Eastman, Eccdel, Provista, Tenite, and Tritan are trademarks of Eastman Chemical Company.

Cyrolite is a trademark of Cyro Industries; GREENGUARD Indoor Air Quality Certified is a registered certification mark of the GREENGUARD Environmental Institute; Makrolon is a trademark of Bayer, AG.

© Eastman Chemical Company, 2011.